

zenithinteriors.com

# ORBIS Workstation

## Zenith



### Features:

The refined leg design of Orbis has the ability to support individual and team based work modes. With sit-stand electric, fixed height, tech and winder adjust, this leg system is highly flexible. Working with CTRL, Precinct, Glovebox and the Framed screen ranges; this system can easily be transformed and customised to meet your individual requirements.

### Options:

- 180°, 120°, 90° configurations
- Fixed Height, Tech Adjust, Winder Adjust or Electric Adjust
- Worktop in 25mm
- Precinct, CTRL, Cloud, Framed S30 and S50 Screens
- CTRL Rail compatibility: Double sided rail (1-way or 2-way brackets), worktop mounted and pod mounted
- Floorsight pucks and sensors
- Legs with feet have 10mm of levelling adjustment, Fixed Height and Tech Adjust with no feet have 50mm of levelling adjustment
- Castors: 180 Degree single desk only
- Cable management: 96mm duct, Cable Tray & Duct Bridges, Glovebox with/without internal powerplate, Wire Basket, Umbilical and Cable Sock

**Design:** ZENITH DESIGN STUDIO

**Warranty:** 10 years

**Certification:** GECA, Greenguard, PEFC, FSC, AFRDI

**Load Rating:** Maximum dynamic load limit for all winder & electric desks is 100kg including the worktop weight.

### Finishes:


Worktop: 25mm laminate, veneer or custom top  
Leg & frame: Powder coated in Zenith House Matt/Satin/Fine Texture range  
Custom colours available upon request  
Stocked models and colours may vary

### Zenith House Powder Coat:



Note:  
Fine Texture is not suitable on Orbis Electric Adjust workstation

## 180 Degree




## 180 Degree Single

Length Range: 900-2700mm


1200-2400mm (Electric Adjust)

Depth Range: 600-900mm


These measurements apply to all worktop sizes within the Orbis range.




**Run of 2\***




**Run of 3\***



**Run of 4\***



**Run of 5\***



**Run of 6\***

## Height Range

Fixed Height: 720mm\*


Tech Adjust: 610-900mm

Winder Adjust: 610-900mm


Electric Adjust: 620-1230mm

Note: \* Run of 2, 3, 4, 5, 6 is only available in Fixed Height


## 180 Degree




**Pod of 2**




**Pod of 4**




**Pod of 6**



**Pod of 8**



**Pod of 10**





**Pod of 12**

### Height Range

Fixed Height: 720mm\*  
Tech Adjust: 610-900mm  
Winder Adjust: 610-900mm  
Electric Adjust: 620-1230mm

Note: \* Pods of 4, 6, 8, 10, 12 is only available in Fixed Height



## 120 Degree



## 120 Degree Single


Width Range: 1200 - 2100mm  
1200 - 1700mm (Electric Adjust)  
Length Range: 1200 - 2100mm  
1200 - 1700mm (Electric Adjust)  
Depth Range: 600 - 900mm

## Pod of 2



## Pod of 3

## Pod of 6\*





## Pod of 9\*

## Height Range

Fixed Height: 720mm\*  
Tech Adjust: 610-900mm  
Winder Adjust: 610-900mm  
Electric Adjust: 620-1230mm

Note: \* Pod of 6 & 9 is only available in Fixed Height


## 90 Degree



### 3 End Left Hand


Width Range: 1200 - 2700mm  
1200 - 2100mm (Electric Adjust)  
Length Range: 1200 - 2700mm  
1200 - 2400mm (Electric Adjust)  
Depth Range: 600 - 900mm

### 3 End Right Hand



### Pod of Two

3 End Left Hand & 3 End Right Hand



### Pod of Four

2x 3 End Left Hand & 2x 3 End Right Hand

## Height Range

Fixed Height: 720mm  
Tech Adjust: 610-900mm  
Winder Adjust: 610-900mm  
Electric Adjust: 620-1230mm