

Zenith

Precinct



By Zenith Design Studio



The spaces within the space



As more organisations embrace hybrid work, the modern workspace becomes a progressive 'precinct' that supports, in-office, remote and on-the-go work: A nexus of utility and adaptability, where employees can concentrate on focused independent tasks, or connect and collaborate in a more informal manner.

This new workplace is a productive precinct: A thriving hub of connected networks, performing a host of independent and shared activities. With this understanding, Zenith announce the third release of the Precinct range. A collection of flexible and versatile structures that offer spatial fluidity for individual and group needs.



The Precinct collection is a series of individual elements that when combined, create 'spaces within spaces': New working environments tailored to singular or collective needs. With over 100 pieces within the range, including lounge modules, ottomans, work pods and screens, the latest release for Precinct Pod is the final puzzle piece in the Precinct range.

Lounge Modules

Precinct Lounge Modules offer both standalone comfort seating and, when configured with other collection pieces, a wrap-around alcove that envelops employees in their individual work or in their collaborative meeting. Screens can be added to ensure privacy within a busy environment or to segment and arrange the open-plan space.





Ottomans

Precinct Ottomans complete the picture. The ottoman series allows each precinct to be as enclosed or open, as formal or informal as the employee desires. Small and round for a leg rest or coffee perch, or wide and angular for a collaborative meeting, the ottomans are available in a wide range of shapes and sizes.



Focus Lounge

Living room or workspace? Precinct Focus Lounge offers a soft-seating haven within the busy work environment. High screens hug the lounge to foster concentration for individualised work scenarios or participation for collaboration and ideation. Precinct Focus Lounge comes in three sizes that cater to the spectrum of work scenarios, Focus Solo, Focus Duo and Focus Trio.





Focus Workpod

Precinct Focus Workpod provides a dedicated sanctuary for uninterrupted work, designed to support deep concentration in busy environments. Available in two screen height options, it combines soft seating with an integrated table for a comfortable and functional workspace. An optional integrated power solution keeps devices charged and ready, making the Focus Workpod the perfect setting for focused, individual tasks.



Meet Booth

Precinct Meet Booth provides a room within the room. Available in both low and high screen encasing, the Meet Booth caters to the full spectrum of workplace modalities. The low screen option builds a room for informal catch-ups with colleagues and vibrant collaboration.

High screen creates an enclave within the bustling workspace for focused work and private group work.

The D-shaped centre table, designed with the aesthetic capacity to act as both a casual café table or a work desk, includes table-top power options. The Precinct Meet Booth is available in various sizes and heights.



A self-stabilised upholstered screen, Precinct Divide segments spaces within the open-plan workspace. Functional as privacy partitioning and shield from visual distraction or as a mobile wall to create new work environments seamlessly and impermanently. Precinct Divide is available in four sizes, varying heights and widths and has a bold cone-shaped supporting base.

Divide



Pod

Precinct Pods are agile, insightful and adaptive. Their refined ingenuity reveals a prescient understanding of the many ways we work. Precinct Pod is an acoustic-pannelled system that creates a variety of workspaces for countless work modalities, from a bookable desk for a hybrid worker, to an enclosed retreat for an online meeting. Offering 3 new shapes geometrically designed to standalone or as configurable clusters, with fixed height or adjustable worktops, Precinct Pods provide maximum freedom and adaptability to work your way.



Screens

Precinct Screening Systems provide the focus of the booth for the individual desk and workstation. The table and desk-top privacy solution is offered in a spectrum of coverage, with single or double-sided fold for partial or complete enclosure. Lightweight and reconfigurable, the frameless system sits flush atop any worktop to create clean and delineated workspaces.





The modern workspace exists between two worlds. Between the comfort of home and the concentration of work, between formality and informality, between collaboration and individualisation. With Zenith's Precinct Collection, workspaces are capable of creating 'moments' that cater to both modalities.






Note: PEFC available on Precinct Screen only

FINISHES

- Ottoman**

Upholstery: One, two-tone (Seat top + Seat bottom)
Refer to Zenith House Fabric/Leather Specification

Leather Strap:   
Black Brown Tan

GPO: White or black
- Lounge**




Upholstery: One, two, or three-tone (Seat + Backrest + Screen) or COM/COL
Refer to Zenith House Fabric/Leather Specification

GPO: White or black
- Focus Lounge**

Upholstery: One, two, or three-tone (Seat + Backrest + Screen) or COM/COL
Refer to Zenith House Fabric/Leather Specification

GPO: White or black
- Focus Workpod**



Upholstery: One, two, or three-tone (Seat + Backrest + Screen) or COM/COL
Refer to Zenith House Fabric/Leather Specification

Table: Table Laminates (AU Only)
  
Natural Oak (Ravine) Black Wenge (Ravine) White

Zenith Standard Laminates (NZ & ASIA)
Refer to Zenith Standard Laminates Specification

GPO: White or black
- Meet Booth**

Upholstery: One, two, or three-tone (Seat + Backrest + Screen)
Refer to Zenith House Fabric/Leather Specification

Leg & Disc Base (Fine Texture):  
Black (ZPC003) Cool White (ZPC007)
- Divide**

Screen: One or two-tone upholstery or COM
Refer to Zenith House Screen Specification

Cone: Fabric, vinyl or leather
Refer to Zenith House Fabric/Leather Specification
- Precinct Pod**

Screen: One or two-tone upholstery
Refer to Zenith House Fabric/Leather Specification

Worktop: 25mm Zenith Standard Laminates or Veneer
Refer to Zenith Standard Laminates Specification
- Precinct Screens**

Screen: Zenith House Screen fabrics or COM
Refer to Zenith House Screen Specification




DIMENSIONS


OTTOMAN




Round 450
DIA 450mm
OH 450mm




Round 650
DIA 650mm
OH 450mm




Angled 1750
OW 1750mm
OD 1040mm
OH 450mm




Oval 1400
OW 1400mm
OD 650mm
OH 450mm




Half Oval 1400
OW 1400mm
OD 650mm
OH 450mm



Square 650
OW 650mm
OD 650mm
OH 450mm




Rectangle 1400
OW 1400mm
OD 650mm
OH 450mm




Rectangle 2000*
OW 2000mm
OD 650mm
OH 450mm


LOUNGE




1400 Lounge Module
OW 1400mm
SD 500mm
OD 650mm
SH 450mm
OH 800mm




2000 Lounge Module*
OW 2000mm
SD 500mm
OD 650mm
SH 450mm
OH 800mm




1750 Angled Lounge Module
OW 1750mm
SD 500mm
OD 1040mm
SH 450mm
OH 800mm




1400 Lounge Module w/ Screen
OW 1400mm
SD 500mm
OD 685mm
SH 450mm
BH 800mm
OH 1200/1375mm




2000 Lounge Module w/ Screen
OW 2000mm
SD 500mm
OD 685mm
SH 450mm
BH 800mm
OH 1200/1375mm



1750 Angled Lounge Module w/ Screen
OW 1745mm
SD 500mm
OD 1070mm
SH 450mm
BH 800mm
OH 1200/1375mm


Note:  Set power locations
* If power option is required, the 2000 Model will be installed with 2 power placements of the specification.

FOCUS LOUNGE




Focus Solo

OW 820mm
SD 500mm
OD 685mm
SH 450mm
OH 1200/1375mm



Focus Duo


OW 1470mm
SD 500mm
OD 685mm
SH 450mm
OH 1200/1375mm



Focus Trio*

OW 2070mm
SD 500mm
OD 685mm
SH 450mm
OH 1200/1375mm

FOCUS WORKPOD




Focus Solo Workpod
LH Low

OW 920mm
OD 840mm
SH 450mm
OH 800mm

Table

TW 430mm
TD 810mm
TH 695mm (from floor)




Focus Solo Workpod
RH Low

OW 920mm
OD 840mm
SH 450mm
OH 800mm

Table

TW 430mm
TD 810mm
TH 695mm (from floor)




Focus Solo Workpod
LH

OW 920mm
OD 840mm
SH 450mm
OH 1200/1375mm

Table

TW 430mm
TD 810mm
TH 695mm (from floor)




Focus Solo Workpod
RH

OW 920mm
OD 840mm
SH 450mm
OH 1200/1375mm

Table

TW 430mm
TD 810mm
TH 695mm (from floor)


MEET BOOTH



Meet Small Low

OW 2070mm
SD 500mm
OD 785mm
SH 450mm
OH 800mm


Table:
W 700mm
D 600mm
H 720mm
(750mm Asia only)



Meet Medium Low

OW 2170mm
SD 500mm
OD 1435mm
SH 450mm
OH 800mm


Table:
W 800mm
D 1200mm
H 720mm
(750mm Asia only)



Meet Large Low

OW 2170mm
SD 500mm
OD 2035mm
SH 450mm
OH 800mm


Table:
W 800mm
D 1800mm
H 720mm
(750mm Asia only)



Meet Small High

OW 2070mm
SD 500mm
OD 785mm
SH 450mm
OH 1200/1375mm


Table:
W 700mm
D 600mm
H 720mm
(750mm Asia only)



Meet Medium High

OW 2170mm
SD 500mm
OD 1435mm
SH 450mm
OH 1200/1375mm

Table:
W 800mm
D 1200mm
H 720mm
(750mm Asia only)




Meet Large High

OW 2170mm
SD 500mm
OD 2035mm
SH 450mm
OH 1200/1375mm

Table:
W 800mm
D 1800mm
H 720mm
(750mm Asia only)


DIVIDE



Precinct Divide 1200

OW 1800mm
OH 1200mm


Cone
DIA 410mm
OH 410mm



Precinct Divide 1375

OW 1000mm
OH 1375mm


Cone
DIA 410mm
OH 410mm



Precinct Divide 1600

OW 800mm
OH 1600mm

Cone
DIA 410mm
OH 410mm




Precinct Divide 1800

OW 1200mm
OH 1800mm

Cone
DIA 410mm
OH 410mm

POD – HEIGHT ADJUST


Open – Runs



Single

OW	1470mm	Worktop W	1350mm
	1670mm		1550mm
	1870mm		1750mm
OD	735mm	Worktop D	600mm
	835mm		700mm
	935mm		800mm
OH	1200/1375mm	Worktop H	620-1230mm


Corner radius of worktop 75mm



Run of 2

OW	2905mm	Worktop W	1350mm
	3305mm		1550mm
	3705mm		1750mm
OD	735mm	Worktop D	600mm
	835mm		700mm
	935mm		800mm
OH	1200/1375mm	Worktop H	620-1230mm


Corner radius of worktop 75mm



Run of 3

OW	4340mm	Worktop W	1350mm
	4940mm		1550mm
	5540mm		1750mm
OD	735mm	Worktop D	600mm
	835mm		700mm
	935mm		800mm
OH	1200/1375mm	Worktop H	620-1230mm

Corner radius of worktop 75mm




Run of 4

OW	5775mm	Worktop W	1350mm
	6575mm		1550mm
	7375mm		1750mm
OD	735mm	Worktop D	600mm
	835mm		700mm
	935mm		800mm
OH	1200/1375mm	Worktop H	620-1230mm

Corner radius of worktop 75mm


Open – Back to Back Pod



Back to Back Pod of 2

OW	1470mm	Worktop W	1350mm
	1670mm		1550mm
	1870mm		1750mm
OD	1435mm	Worktop D	600mm
	1635mm		700mm
	1835mm		800mm
OH	1200/1375mm	Worktop H	620-1230mm


Corner radius of worktop 75mm



Back to Back Pod of 4

OW	2905mm	Worktop W	1350mm
	3305mm		1550mm
	3705mm		1750mm
OD	1435mm	Worktop D	600mm
	1635mm		700mm
	1835mm		800mm
OH	1200/1375mm	Worktop H	620-1230mm


Corner radius of worktop 75mm



Back to Back Pod of 6

OW	4340mm	Worktop W	1350mm
	4940mm		1550mm
	5540mm		1750mm
OD	1435mm	Worktop D	600mm
	1635mm		700mm
	1835mm		800mm
OH	1200/1375mm	Worktop H	620-1230mm

Corner radius of worktop 75mm




Back to Back Pod of 8

OW	5775mm	Worktop W	1350mm
	6575mm		1550mm
	7375mm		1750mm
OD	1435mm	Worktop D	600mm
	1635mm		700mm
	1835mm		800mm
OH	1200/1375mm	Worktop H	620-1230mm

Corner radius of worktop 75mm


Enclosed



Single LH or RH

OW	1470mm	Worktop W	1350mm
	1670mm		1550mm
	1870mm		1750mm
OD	1620mm	Worktop D	600mm
	1720mm		700mm
	1820mm		800mm
OH	1200/1375mm	Worktop H	620-1230mm


Entry Width 850mm
Corner radius of worktop 75mm



Side by Side 2

OW	2905mm	Worktop W	1350mm
	3305mm		1550mm
	3705mm		1750mm
OD	1620mm	Worktop D	600mm
	1720mm		700mm
	1820mm		800mm
OH	1200/1375mm	Worktop H	620-1230mm

Entry Width 850mm
Corner radius of worktop 75mm




Facing 2

OW	1470mm	Worktop W	1350mm
	1670mm		1550mm
	1870mm		1750mm
OD	3205mm	Worktop D	600mm
	3405mm		700mm
	3605mm		800mm
OH	1200/1375mm	Worktop H	620-1230mm

Entry Width 850mm
Corner radius of worktop 75mm


Alternate Run



Alternate run of 2

OW	2905mm	Worktop W	1350mm
	3305mm		1550mm
	3705mm		1750mm
OD	970mm	Worktop D	600mm
	1170mm		700mm
	1370mm		800mm
OH	1200/1375mm	Worktop H	620-1230mm


Corner radius of worktop 75mm



Alternate run of 3

OW	4340mm	Worktop W	1350mm
	4940mm		1550mm
	5540mm		1750mm
OD	970mm	Worktop D	600mm
	1170mm		700mm
	1370mm		800mm
OH	1200/1375mm	Worktop H	620-1230mm

Corner radius of worktop 75mm




Alternate run of 4

OW	5775mm	Worktop W	1350mm
	6575mm		1550mm
	7375mm		1750mm
OD	970mm	Worktop D	600mm
	1170mm		700mm
	1370mm		800mm
OH	1200/1375mm	Worktop H	620-1230mm

Corner radius of worktop 75mm

POD – FIXED HEIGHT


Open – Runs



Single

OW	1070mm	Worktop W	1000mm
	1270mm		1200mm
	1470mm		1400mm
	1670mm		1600mm
	1870mm		1800mm
OD	735mm	Worktop D	600mm
	835mm		700mm
	935mm		800mm
OH	1200/1375mm	Worktop H	720/1050mm


Corner radius of worktop 100mm



Run of 2

OW	2105mm	Worktop W	1000mm
	2505mm		1200mm
	2905mm		1400mm
	3305mm		1600mm
	3705mm		1800mm
OD	735mm	Worktop D	600mm
	835mm		700mm
	935mm		800mm
OH	1200/1375mm	Worktop H	720/1050mm


Corner radius of worktop 100mm



Run of 3

OW	3140mm	Worktop W	1000mm
	3740mm		1200mm
	4340mm		1400mm
	4940mm		1600mm
	5540mm		1800mm
OD	735mm	Worktop D	600mm
	835mm		700mm
	935mm		800mm
OH	1200/1375mm	Worktop H	720/1050mm

Corner radius of worktop 100mm




Run of 4

OW	4175mm	Worktop W	1000mm
	4975mm		1200mm
	5775mm		1400mm
	6575mm		1600mm
	7375mm		1800mm
OD	735mm	Worktop D	600mm
	835mm		700mm
	935mm		800mm
OH	1200/1375mm	Worktop H	720/1050mm

Corner radius of worktop 100mm


Open – Back to Back Pod



Back to Back Pod of 2

OW	1070mm	Worktop W	1000mm
	1270mm		1200mm
	1470mm		1400mm
	1670mm		1600mm
	1870mm		1800mm
OD	1435mm	Worktop D	600mm
	1635mm		700mm
	1835mm		800mm
OH	1200/1375mm	Worktop H	720/1050mm


Corner radius of worktop 100mm



Back to Back Pod of 4

OW	2105mm	Worktop W	1000mm
	2505mm		1200mm
	2905mm		1400mm
	3305mm		1600mm
	3705mm		1800mm
OD	1435mm	Worktop D	600mm
	1635mm		700mm
	1835mm		800mm
OH	1200/1375mm	Worktop H	720/1050mm


Corner radius of worktop 100mm



Back to Back Pod of 6

OW	3140mm	Worktop W	1000mm
	3740mm		1200mm
	4340mm		1400mm
	4940mm		1600mm
	5540mm		1800mm
OD	1435mm	Worktop D	600mm
	1635mm		700mm
	1835mm		800mm
OH	1200/1375mm	Worktop H	720/1050mm

Corner radius of worktop 100mm




Back to Back Pod of 8

OW	4175mm	Worktop W	1000mm
	4975mm		1200mm
	5775mm		1400mm
	6575mm		1600mm
	7375mm		1800mm
OD	1435mm	Worktop D	600mm
	1635mm		700mm
	1835mm		800mm
OH	1200/1375mm	Worktop H	720/1050mm

Corner radius of worktop 100mm


Enclosed



Single LH or RH

OW	1070mm	Worktop W	1000mm
	1270mm		1200mm
	1470mm		1400mm
	1670mm		1600mm
	1870mm		1800mm
OD	1620mm	Worktop D	600mm
	1720mm		700mm
	1820mm		800mm
OH	1200/1375mm	Worktop H	720/1050mm


Entry Width 850mm
Corner radius of worktop 100mm



Side by Side 2

OW	2105mm	Worktop W	1000mm
	2505mm		1200mm
	2905mm		1400mm
	3305mm		1600mm
	3705mm		1800mm
OD	1620mm	Worktop D	600mm
	1720mm		700mm
	1820mm		800mm
OH	1200/1375mm	Worktop H	720/1050mm

Entry Width 850mm
Corner radius of worktop 100mm




Facing

OW	1070mm	Worktop W	1000mm
	1270mm		1200mm
	1470mm		1400mm
	1670mm		1600mm
	1870mm		1800mm
OD	3205mm	Worktop D	600mm
	3405mm		700mm
	3605mm		800mm
OH	1200/1375mm	Worktop H	720/1050mm

Entry Width 850mm
Corner radius of worktop 100mm


Alternate Run



Run of 2 with Fixed Worktop

OW	2105mm	Worktop W	1000mm
	2505mm		1200mm
	2905mm		1400mm
	3305mm		1600mm
	3705mm		1800mm
OD	970mm	Worktop D	600mm
	1170mm		700mm
	1370mm		800mm
OH	1200/1375mm	Worktop H	720/1050mm


Corner radius of worktop 100mm



Run of 3 with Fixed Worktop

OW	3140mm	Worktop W	1000mm
	3740mm		1200mm
	4340mm		1400mm
	4940mm		1600mm
	5540mm		1800mm
OD	970mm	Worktop D	600mm
	1170mm		700mm
	1370mm		800mm
OH	1200/1375mm	Worktop H	720/1050mm

Corner radius of worktop 100mm




Run of 4 with Fixed Worktop

OW	4175mm	Worktop W	1000mm
	4975mm		1200mm
	5775mm		1400mm
	6575mm		1600mm
	7375mm		1800mm
OD	970mm	Worktop D	600mm
	1170mm		700mm
	1370mm		800mm
OH	1200/1375mm	Worktop H	720/1050mm

Corner radius of worktop 100mm

Alternate Run with Seating




Run of 2 with Seating

OW	2905mm	Worktop W	1400mm
OD	1170mm	Worktop D	700mm
OH	1200/1375mm	Worktop H	720/1050mm

Corner radius of worktop 100mm

Lounge

W 1400mm




Run of 3 with Seating

OW	4340mm	Worktop W	1400mm
OD	1170mm	Worktop D	700mm
OH	1200/1375mm	Worktop H	720/1050mm

Corner radius of worktop 100mm

Lounge

W 1400mm



Run of 4 with Seating


OW	5775mm	Worktop W	1400mm
OD	1170mm	Worktop D	700mm
OH	1200/1375mm	Worktop H	720/1050mm

Corner radius of worktop 100mm

Lounges

W 1400mm


Tile



Single

OW	1630mm	Worktop W	1400mm
OD	690mm	Worktop D	600mm
OH	1200/1375mm	Worktop H	720/1050mm


Corner radius of worktop 100mm



Cluster of 2

OW	2880mm	Worktop W	1400mm
OD	760mm	Worktop D	600mm
OH	1200/1375mm	Worktop H	720/1050mm

Corner radius of worktop 100mm




Cluster of 4

OW	3210mm	Worktop W	1400mm
OD	1480mm	Worktop D	600mm
OH	1200/1375mm	Worktop H	720/1050mm

Corner radius of worktop 100mm


Arrow



Single

OW	1480mm	Worktop W	1400mm
OD	1185mm	Worktop D	550mm
OH	1200/1375mm	Worktop H	720/1050mm


Corner radius of worktop 100mm



Cluster of 2

OW	2930mm	Worktop W	1400mm
OD	1670mm	Worktop D	550mm
OH	1200/1375mm	Worktop H	720/1050mm


Corner radius of worktop 100mm



Cluster of 3

OW	2930mm	Worktop W	1400mm
OD	1955mm	Worktop D	550mm
OH	1200/1375mm	Worktop H	720/1050mm

Corner radius of worktop 100mm




Cluster of 4

OW	3655mm	Worktop W	1400mm
OD	1955mm	Worktop D	550mm
OH	1200/1375mm	Worktop H	720/1050mm

Corner radius of worktop 100mm


Wave



Single Left Hand

OW	1850mm	Worktop W	1580mm
OD	1655mm	Worktop D	600mm
OH	1200/1375mm	Worktop H	720/1050mm


Entry width 980mm
Corner radius 100mm of worktop



Single Right Hand

OW	1850mm	Worktop W	1580mm
OD	1655mm	Worktop D	600mm
OH	1200/1375mm	Worktop H	720/1050mm


Entry width 980mm
Corner radius of worktop 100mm



Cluster 2 Left Hand

OW	3280mm	Worktop W	1580mm
OD	1870mm	Worktop D	600mm
OH	1200/1375mm	Worktop H	720/1050mm

Entry width 980mm
Corner radius of worktop 100mm




Cluster 2 Right Hand

OW	3280mm	Worktop W	1580mm
OD	1870mm	Worktop D	600mm
OH	1200/1375mm	Worktop H	720/1050mm


Entry width 980mm
Corner radius of worktop 100mm

Wave



Cluster of 3			
OW	3280mm	Worktop W	1580mm
OD	3230mm	Worktop D	600mm
OH	1200/1375mm	Worktop H	720/1050mm


Entry width 980mm
Corner radius of worktop 100mm



Cluster of 4			
OW	4090mm	Worktop W	1580mm
OD	3230mm	Worktop D	600mm
OH	1200/1375mm	Worktop H	720/1050mm


Entry width 980mm
Corner radius of worktop 100mm

SCREENS
On Desk Screens




Hold On
Screen Height Above Desk:
Min: 200mm
Max: 600mm

Worktop Thickness: 25/33mm




Fold Me - One Fold
Screen Length: 800 or 1000mm
Return Length: 300 - 600mm
Screen Height: 350mm



Fold Me - Two Fold
Screen Length: 800 or 1000mm
Return Length: 300 - 600mm
Screen Height: 350mm

Worktop Mounted




Classic

Thickness: 30mm
Width Range: 500mm - 2000mm
Height Range: 300mm - 800mm
Adjust the above / below height to suit

Screen Height Above Desk:
Min: 150mm
Max: 500mm

Screen Height Below Desk:
Min: 130mm




Sweep

Thickness: 30mm
Width Range: 500mm - 2000mm
Height Range: 300mm - 800mm
Adjust the above / below height to suit

Screen Height Above Desk:
Min: 150mm
Max: 500mm


Screen Height Below Desk:
Min: 130mm



Elevated

Thickness: 30mm
Width Range: 1200mm - 2000mm
Height Range: 300mm - 500mm
Adjust the above / below height to suit

Screen Height Above Desk:
Min: 300mm
Max: 500mm




Curve- Two Way Fold

Thickness: 30mm
Length Range: 1200mm - 2400mm
Return Length Range: 300mm - 500mm
Height: Max 800mm

Screen Height Above Desk:
Min: 150mm
Max: 500mm

Screen Height Below Desk:
Min: 130mm




Curve- One Way Fold LH

Thickness: 30mm
Length Range: 1200mm - 2400mm
Return Length Range: 300mm - 800mm
Height: Max 800mm

Screen Height Above Desk:
Min: 150mm
Max: 500mm

Screen Height Below Desk:
Min: 130mm




Curve- One Way Fold RH

Thickness: 30mm
Length Range: 1200mm - 2400mm
Return Length Range: 300mm - 800mm
Height: Max 800mm

Screen Height Above Desk:
Min: 150mm
Max: 500mm

Screen Height Below Desk:
Min: 130mm




Flex - Double Return

Thickness: 30mm
Length Range: 1200mm - 2400mm
Return Length Range: 300mm - 800mm
Height: Max 1025mm

Screen Height Above Desk:
Min: 150mm
Max: 500mm

Screen Height Below Desk:
Min: 130mm
Min: 500mm




Flex - Single Return LH

Thickness: 30mm
Length Range: 1200mm - 2400mm
Return Length Range: 300mm
Height: Max 1025mm

Screen Height Above Desk:
Min: 150mm
Max: 500mm

Screen Height Below Desk:
Min: 130mm
Min: 500mm




Flex - Single Return RH

Thickness: 30mm
Length Range: 1200mm - 2400mm
Return Length Range: 300mm
Height: Max 1025mm


Screen Height Above Desk:
Min: 150mm
Max: 500mm

Screen Height Below Desk:
Min: 130mm
Min: 500mm

Frame Mounted




Spine
Thickness: 30mm
Length Range: Min 1200mm – Max 2000mm
(Must equal frame length)
Height: Min 900mm – Max 1250mm



Spine & End
Thickness: 30mm
Spine Length Range: 1200mm – 2000mm
(Must equal frame length)
Spine Height: Min 900mm – Max 1250mm

End Screen Length: Must equal frame depth
End Height Range: Min 200 – Max 310mm



Screen Arm
Thickness: 30mm
Length Range: 1200mm – 2000mm
(Must equal frame length)
Height Range: 900mm – 1200mm

Zenith

Design

Studio

Understanding and collaborating with the client ensures all outcomes are achieved.

ZENITH's capacity to research, prototype and test products is an integral part to their design process. By putting an emphasis on researching global trends and anticipating the ever-changing climate of technology in the work environment, ZENITH not only responds to demands in the market but pioneers and innovate.

With the capability and facilities to manufacture locally, ZENITH products are exceptionally designed, customised and thoroughly tested for product suitability and usability to suit individual needs and user requirements.



Zenith

We've worked with interior designers, architects and workplace curators for many years. Together, we've developed a range of internal workspace environments. We work alongside these curators of modern workspaces to redefine the environments where people live, work, socialise, interact and learn.

Contemporary workplaces have to combine leading edge technology and physical elements in a way that produces productive environments for organisations. And every organisation is unique. So before we recommend a solution, we work hard to understand the organisation and the people who define its culture.

Our local teams and showrooms deliver the support you need. Our global logistics guarantees the highest quality product, service and delivery schedules.

Showroom locations

Australia Melbourne, Sydney, Canberra, Brisbane, Perth, Adelaide

New Zealand Auckland, Wellington, Christchurch

Asia Hong Kong, Shanghai, Singapore

zenithinteriors.com