

FRAMERY SIX





Features:

Introducing the Framery Six: a cutting-edge meeting room tailored for collaborative teamwork, accommodating up to six individuals. This versatile, soundproof haven is meticulously designed to foster both face-to-face and hybrid brainstorming sessions, enhancing productivity and innovation.

Combining the best features of a larger meeting room into a convenient, modular package, the Framery Six offers a luxurious and spacious interior equipped with a proper-sized meeting table. Customize the seating to suit your preferences, further enhancing comfort and collaboration. With its low threshold and minimalist design ethos, featuring carefully curated sustainable materials, the Framery Six sets the standard for modern meeting spaces.

Options:

- · Interior or exterior mounted whiteboard
- Coat hooks

Accessories:

- Occupancy light
- Table
- Sofas

Technology:

- Framery Connect
- · Framery Sensor
- Framery app

Design: FRAMERY

Certifications: GREENGUARD GOLD

Warranty: 5 years

1

Finishes:

Frame: Matt black frames made from steel Exterior: Powder coated matt steel panels

Interior: Laminated PET sheets with recycled polyester fabric Carpet: Anti-static and stain resistant low loop pile carpet

Table Top: Laminate on birch plywood Table leg: Black powder coated metal

Seating: Upholstered in Gabriel select house fabrics

Standard Finishes (6-8 weeks)

Exterior (Powder Coat):



White Ultramatt RAL 9016

Interior (Laminated PET Sheet):



Sand S2010

Table:



Oak Veneer

Carpet:



Champagne


Seating Fabric:



Graphite

Other Finishes (12-14 weeks)

Exterior (Powder coat):



Interior (Laminated PET Sheets):



Carpet:







Table:





White Laminate


Powder Blue

Seating Fabric:



Mustard

Dimensions



FRAMERY SIX

OW 2352mm OD 2632mm OH 2329mm

Accessories:



TableAccommodates laptops, and builtin power outlets



Occupancy light
Displays a red light
when in use

Technology:



Framery Connect

Calendarconnectivity(Google & Microsoft)Statistics foranalyze pod usage



Framery Sensor
A Sensor to collect
data from the
Framery pod in
your workplace



Framery App
An easy way to book
Framery pods and
meeting spaces
throughout the day

Lighting:

Ceiling Light color temperature 4000 K, illuminance up to 500 lux on the tabletop. Video light color temperature 4000 K, illuminance up to 400 lux on the user's facial area.

Airflow:

MAXIMUM AIRFLOW 187 I/s, 397 CFM (674.6 m3/h)

Soundproofing:

CLASS A 30 DS,A (dB) reduction Speech level reduction DS,A (dB) is measured using ISO 23351-1. Pod can be placed next to workspaces without compromising privacy.

Sound Masking:

A pre-fitted sound masking system improves the soundscape of the office outside the pods with an effective radius of 5 m / 16 ft.

Power Consumption:

Default settings 145 W. Highest settings 202 W. Standby mode 28 W.

Outlets:

2 × in-table / under-table power outlets, 2 × under-table power outlets, 2 × USB-C PD charge ports (65 W)
Optional: In-table outlets (max 2): 0–1 x HDMI port, 0–2 × LAN ports (with cables)