

Features:

Solving acoustic challenges in small and narrow spaces can be challenging with most of the floor occupied by other furniture. In such spaces, acoustic wall panels are an effective solution. We offer an extensive range of standard and bespoke products to spark your creativity and endless imagination - in both small and big spaces.

Mounted on the wall with a biodegradable double contact glue.

Options:

• Wall coverings come in 12mm or 24mm thickness

Design: IMPACT ACOUSTIC

Environmental:

- Cradle to Cradle Certified™
- Product qualifies for LEED v4 specifications on VOC emissions in LEED EQ credit
- SUPPORTED BY CLIMATE KIC

Warranty: 12 year product

Finishes:

100% PET (min. 60% post-consumer)

ARCHISONIC® is a high-performance sustainable acoustic absorber made from up-cycled plastic bottles.

ARCHISONIC® is manufactured at the highest quality standards, yet slight colour and surface deviations caused by the high degree of recycled fiber are an inevitable part of the product characteristics and do not claim warranty services.

Material varies in colour when shown in monitor or in print.

ARCHISONIC:









parcoal Paye

Dimensions




Flow

OW 1200mm
OH 2800mm
Thickness: 12mm
Set of 2, 600mmW panels




Flow

OW 1800mm
OH 2400mm
Thickness: 24mm
Set of 3, 600mmW panels




Kingscross

OW 1200mm
OH 2800mm
Thickness: 12mm
Set of 2, 600mmW panels




Kingscross

OW 1800mm
OH 2400mm
Thickness: 24mm
Set of 3, 600mmW panels




Vertigo

OW 1200mm OH 2800mm Thickness: 12mm Set of 2, 600mmW panels




Vertigo

OW 1800mm
OH 2400mm
Thickness: 24mm
Set of 2, 900mmW panels




Vertigo Irregular

OW 1200mm
OH 2800mm
Thickness: 12mm
Set of 2, 600mmW panels




Vertigo Irregular

OW 1800mm
OH 2400mm
Thickness: 24mm
Set of 2, 600mmW panels




Prisma

OW 1200mm OH 2800mm Thickness: 12mm Set of 1



Prisma

OW 1800mm OH 2400mm Thickness: 24mm Set of 1



Maze


OW 1200mm OH 2800mm Thickness: 12mm Set of 1



Maze

OW 1800mm
OH 2400mm
Thickness: 24mm
Set of 1


Dimensions




Facet
OW 1800mm
OH 2800mm
Thickness: 12mm
Set of 1



Facet
OW 1800mm
OH 2400mm
Thickness: 24mm
Set of 1



GatsbyOW 1200mm
OH 2800mm
Thickness: 12mm
Set of 1



GatsbyOW 1800mm
OH 2400mm
Thickness: 24mm
Set of 1



Contour
OW 1200mm
OH 2800mm
Thickness: 12mm
Set of 2, 600mmW panels




Contour

OW 1800mm


OH 2400mm

Thickness: 24mm


Set of 2, 900mmW panels




Loop OW 1200mm OH 2800mm Thickness: 12mm Set of 1




Loop
OW 1800mm
OH 2400mm
Thickness: 24mm
Set of 1




Maya
OW 1200mm
OH 2800mm
Thickness: 12mm
Set of 1



Maya
OW 1800mm
OH 2400mm
Thickness: 24mm
Set of 1




Cottage
OW 1200mm
OH 2800mm
Thickness: 12mm
Set of 2, 600mmW panels




Cottage
OW 1800mm
OH 2400mm
Thickness: 24mm
Set of 2, 900mmW panels

Dimensions



Fon

OW 1200mm OH 2800mm Thickness: 12mm Set of 2, 600mmW panels



Fon

OW 1800mm OH 2400mm Thickness: 24mm Set of 2, 900mmW panels




Pass

OW 1200mm OH 2800mm Thickness: 12mm Set of 2, 600mmW panels



Pass

OW 1800mm OH 2400mm Thickness: 24mm Set of 2, 900mmW panels




Bau

OW 1200mm OH 2800mm Thickness: 12mm Set of 2, 600mmW panels




Bau

OW 1800mm OH 2400mm Thickness: 24mm Set of 2, 900mmW panels




Vela

OW 1200mm OH 2800mm Thickness: 12mm Set of 1



Vela

OW 1800mm OH 2400mm Thickness: 24mm Set of 1



Maya

OW 1200mm OH 2800mm Thickness: 12mm Set of 1



OW 1800mm OH 2400mm Thickness: 24mm Set of 1

