

zenithinteriors.com

# Kissen High Table

Zenith



## Features:

Derived from the German word for 'cushion', Kissen tables provide a soft design language for the workplace.

Designed for the physical and functional requirements of today's diverse work modes; the Kissen family of tables provide settings for social, collaborative and dynamic work spaces.

The high performance understructure makes economic use of components while maximising setting options. These options include table heights, sizes, worktop shapes, leg orientations and wall-bracket mounting.

## Options:

- Linear or 45° Leg: 4 or 6 leg tables
- Shark nose edge or square edge tops
- Lockable castors
- Cable management: Felt basket, Omni duct, Cable sleeve and Central power box
- Ctrl rail
- Wall-bracket mounting

Note: Options are dependent on table size/shape

**Design:** ZENITH DESIGN STUDIO

**Certifications:** GECA, GREENGUARD, PEFC

**Warranty:** 10 years

## Finishes:

Worktop: 25mm laminate, veneer or custom top

Leg & frame: Powder coated in Zenith House Matt/Satin/Fine Texture range

Castors: Black for black legs and silver for all other leg finishes

Felt basket: Grey and charcoal PET

Omni duct: Powder coated to match frame

Cable sleeve: Black, white or grey

## Zenith House Powder Coat:




## Solid Timber Leg:




American Oak

Leg boot can be different finish to the leg and frame  
(Aluminium legs only, not applicable for timber legs)

## Table Height




OH: 900mm




OH: 1050mm

## Leg Types



45° Leg



Linear Leg

## Leg Finishes



Timber




Aluminium

## Top Shapes




**Rectangle**

Small, Regular & Deep




**Emerald**


Small, Regular & Deep




**Boat**




**Oval**




**Square**




**Square Emerald**




**Square Boat**



**Round**




**Trapezoid**



**D-End**


## Configurations

### 45° Leg




#### 4 Leg Small

To suit tops: 800 - 1000mm  
Top shape: Square




#### 4 Leg Small

To suit tops: 800 - 1000mm  
Top shape: Square Emerald




#### 4 Leg Small

To suit tops: 800 - 1000mm  
Top shape: Square Boat




#### 4 Leg Regular

To suit tops: 1000 - 1500mm  
Top shape: Square




#### 4 Leg Regular

To suit tops: 1000 - 1500mm  
Top shape: Square Emerald




#### 4 Leg Regular

To suit tops: 1000 - 1500mm  
Top shape: Square Boat




#### 4 Leg Small

To suit tops: 900 - 1100mm dia  
Top shape: Round



#### 4 Leg Regular

To suit tops: 1100 - 1600mm dia  
Top shape: Round




#### 4 Leg Regular

To suit tops: 1000 - 1500mmD  
Min W: 1200mm  
Max W: 2300mm  
Top shape: Oval


## Configurations

### 45° Leg



#### 4 Leg Small

To suit tops: 900 - 999mmD  
Min W: 1200mm  
Max W: 2400mm  
Top shapes: Rectangle & Emerald




#### 6 Leg Small

To suit tops: 900 - 999mmD  
Min W: 2401mm  
Max W: 4800mm  
Top shapes: Rectangle & Emerald




#### 4 Leg Regular

To suit tops: 1000\* - 1500mmD  
\*Boat tops: 1100 - 1500mmD  
Min W: 1200mm  
Max W: 2400mm  
Top shapes: Rectangle, Emerald & Boat  
Suitable with CTRL rail, Omni duct




#### 6 Leg Regular

To suit tops: 1000\* - 1500mmD  
\*Boat tops: 1100 - 1500mmD  
Min W: 2401mm  
Max W: 4800mm  
Top shapes: Rectangle, Emerald & Boat  
Suitable with CTRL rail, Omni duct  
& Central power box




#### 4 Leg Small

Top shape: D-End  
Length: 1200-2400mm  
Depth: 900-1100mm




#### 4 Leg Regular

Top shape: D-End  
Length: 1200-2400mm  
Depth: 1101-1500mm



#### 4 Leg Regular

Top shape: Trapezoid  
Length: 1200-2400mm  
Depth: 1000-1500mm




#### 6 Leg Regular

Top shape: Trapezoid  
Length: 2401-4800mm  
Depth: 1000-1500mm


## Configurations

### Linear Leg




#### 4 Leg Small

To suit tops: 900 - 999mmD  
Min W: 1200mm  
Max W: 2400mm  
Top shapes: Rectangle



#### 6 Leg Small

To suit tops: 900 - 999mmD  
Min W: 2401mm  
Max W: 4800mm  
Top shapes: Rectangle




#### 4 Leg Small

Length: 1200-2400mm  
Depth: 900-1100mm  
Top shape: D-end




#### 4 Leg Regular

To suit tops: 1000 - 1500mmD  
Min W: 1200mm  
Max W: 2400mm  
Top shapes: Rectangle  
Suitable with CTRL rail or Omni duct



#### 6 Leg Regular

To suit tops: 1000 - 1500mmD  
Min W: 2401mm  
Max W: 4800mm  
Top shapes: Rectangle  
Suitable with CTRL rail, Omni duct & Central power box




#### 4 Leg Regular

Length: 1200-2400mm  
Depth: 1101-1500mm  
Top shape: D-end


## Configurations

### Wall Bracket Mounting



#### **D-End** **DE4\_WB**

Top shape: D-end  
Length: 1200-2400mm  
Depth: 1101-1700mm




#### **D-End** **DE4\_WB\_S**

Top shape: D-end  
Length: 1200-2400mm  
Depth: 750-1100mm


**Cable Management**  
**Omni Duct**




**Omni Duct**  
W: 300mm  
H: 88.5mm



**Omni Duct**




**2 GPO Insert**



**4 GPO Insert**

**Felt Basket**



Max GPO box dimensions 150mm wide x  
400mm length x 120mm deep

**Leg Cable Sleeve**

