

# KISSEN CONFERENCE

## Table Fixed



### Features:

Kissen conference is a range of seating or standing height fixed tables, available in rectangular, square or round worktops. The leg comes with table reticulation through the leg and various cable duct options, all with inset GPO holders.

### Options:

- Round, square and rectangle worktop
- Standard 25mm tops and 33mm tops on request
- Height: 720, 900 & 1050mm
- Linear or 45° Leg: 4 or 6 leg tables
- Lockable castors or glides
- Cable management: Omni Access with square edge, sharknose edge or sharknose edge with reduced weight, Duct Closed and Hinged Duct Open

**Design:** ZENITH DESIGN STUDIO

**Certifications:** GECA

**Warranty:** 10 years

**Load Rating:** Max load including top 120kg, max point load 60kg.



### Finishes:

Table top: Laminate, Polytec, Veneer or custom top  
 Castors: Black for black frames or polished foot and silver for all other frame finishes  
 Custom colours available upon request  
 Stocked models and colours may vary


### Zenith House Powder Coat:

					
<b>Cool White</b> (Satin/ Matt/ Fine Texture)	<b>Warm White</b> (Matt)	<b>Cool Grey</b> (Satin/ Fine Texture)	<b>Warm Grey</b> (Matt/ Fine Texture)	<b>Black</b> (Satin/ Matt/ Fine Texture)	<b>Chocolate</b> (Matt/ Fine Texture)
					
<b>Burnt Umber</b> (Matt/ Fine Texture)	<b>Blush Pink</b> (Matt/ Fine Texture)	<b>Rust</b> (Matt/ Fine Texture)	<b>Sky Blue</b> (Matt/ Fine Texture)	<b>Indigo</b> (Matt/ Fine Texture)	<b>Olive</b> (Matt/ Fine Texture)

### Fold Mechanism:

	
<b>Black</b>	<b>White</b>


## Dimensions



### Round Fixed Top

Dia: 1000mm

Height Range: 720mm (Seated Height)  
900mm | 1050mm  
(Standing Height)




### Square Fixed Top

Width Range: 800 - 900mm

Depth Range: 800 - 900mm

Height Range: 720mm (Seated Height)  
900mm | 1050mm  
(Standing Height)




### Rectangle Fixed Top

Width Range: 1200 - 2200mm

Depth Range: 700 - 900mm

Height Range: 720mm | 900mm | 1050mm

## Cable Management



### Fixed Duct Omni Fold



Duct Closed



Duct Open



Cable Leg Detail

### Omni Access