



zenithinteriors.com

CONDO Workstation

Zenith

Features:

Condo is a family of workstations and configured to include pods, Linear Runs, and Single Desks.

Condo settings use the proven engineering performance of the Orbis height adjustable leg, support frame and electronic platform. Condo is compatible with the various Zenith handset controllers, enabling a broad spectrum of ergonomic features. Several pragmatic cable management solutions are also compatible with Condo, along with the inclusion of screening products, such as Precinct Screens and Simpl Screens.

The shroud design celebrates design freedom by combining powder coat steel and laminate. This material selection can assist to anchor a space.

When combined with Highrise Arcade and Highrise Towers, Condo unlocks dynamic new layouts – blending planters, pod style desking, touchdown work points and tele-desk configurations. Offering a refined visual language, Condo delivers structural integrity, design unity, and adaptability in one streamlined workspace platform.

Options:

- 180° configurations: Runs or pods
- Screens: Compatibility depends on workstation configuration type.
Refer to Zenith Screen Matrix on the website
- Ctrl Screen Rails
- Cable management:
 - 96mm Duct and 250x150 Curved Steel Duct

Design: ZENITH DESIGN STUDIO

Warranty: 10 years

Certifications: GREENGUARD, GREENGUARD GOLD

Load Rating: Maximum load limit for all desks is 120kg including the worktop weight

Materials:

Top: laminate, veneer or custom

Leg, frame & shroud: Steel

Shroud top covers: Laminate

Finishes:

Worktop:

25mm laminate, veneer or custom top

Leg, frame & shroud:

Powder coated in Zenith Select Cool white & Black satin.

Custom colours available upon request

Refer to Zenith Select powder coat specification

Shroud top covers:


18mm Zenith Standard laminates

180 Degree-Runs


Length Range per desk: 1300-1800mm

Depth Range: 750-850mm


Height Range: 720-1200mm (Single-stage Electric Adjust)
or 620-1230mm (Two-stage Electric Adjust)




180 Degree



Run of 2



Run of 3




Run of 4

180 Degree-Pods


Length range: 1300-1800mm

Overall Depth Range: 1250-1690mm


Height Range: 720-1200mm (Single-stage Electric Adjust)
or 620-1230mm (Two-stage Electric Adjust)




Pod of 2



Pod of 4



Pod of 6



Pod of 8