

SOL-EDT Collection



Features:

SOL-EDT is an evolution of the SOL-MIX collection, featuring a softer edged design for modern hybrid spaces. The vast range provides flexible configuration options, allowing users to create customised seating arrangements for both small and large spaces.

Options:

- Single or Two tone upholstery (back & seat)
- Fixed upholstered arm (compatible with specific models)

Design: ZENITH DESIGN STUDIO

Warranty: 5 years

Certifications: GECA


Finishes:

Upholstered in single or two tone approved commercial Zenith House fabrics or COM

Refer to Zenith House Fabric/Leather Specification


Optional Arm: Upholstered in approved commercial Zenith House fabrics or COM

Dimensions




Arm

OW 60mm
OD 740mm
OH 640mm




**600 Lounge

OW 600mm
OD 736mm
SD 490mm
SH 450mm
OH 817mm




**1200 Lounge

OW 1200mm
OD 736mm
SD 490mm
SH 450mm
OH 817mm



Corner

OW 738mm
OD 738mm
SD 490mm
SH 450mm
OH 817mm




Concave

OW 1015mm
OD 778mm
SD 490mm
SH 450mm
OH 817mm




**Convex

OW 1015mm
OD 778mm
SD 490mm
SH 450mm
OH 817mm




**Double Concave

OW 1876mm
OD 904mm
SD 490mm
SH 450mm
OH 817mm




**Double Convex

OW 1876mm
OD 904mm
SD 490mm
SH 450mm
OH 817mm




600 Ottoman

OW 600mm
OD 736mm
SD 736mm
SH 450mm
OH 450mm



1200 Ottoman

OW 1200mm
OD 736mm
SD 736mm
SH 450mm
OH 450mm




Corner Ottoman

OW 736mm
OD 736mm
SD 736mm
SH 450mm
OH 450mm


Fixed upholstered arm (**compatible with specific models)

Dimensions




Curved Ottoman

OW 1015mm
OD 7778mm
SD 736mm
SH 450mm
OH 450mm



Double Curved Ottoman

OW 1876mm
OD 904mm
SD 736mm
SH 450mm
OH 450mm




1100 Round Ottoman

OW 1100mm
OD 1100mm
SD 1000mm
SH 450mm
OH 450mm




Mobile Stool

OW 580mm
OD 580mm
SD 415mm
SH 500mm
OH 500mm




600 Back to Back

OW 1400mm
OD 600mm
SD 490mm
SH 450mm
OH 817mm



Curved Back to Back

OW 1520mm
OD 1440mm
SD 490mm
SH 450mm
OH 817mm



End Back to Back

OW 1400mm
OD 700mm
SD 490mm
SH 450mm
OH 817mm