zenithinteriors.com

Zenith

# SIMPL Screen

**Features:**
Simpl is a frameless, lightweight screen solution that can be worktop or frame mounted using a variety of substrates. Simpl Screen is a pinnable screen avaliable in a range of sizes and shapes.

**Options:**
- Worktop Screw-Fixed: Classic, Sweep, Elevated & Curve
- Worktop Clamp-on: Classic or Sweep
- Frame mounted: Spine

**Design:** ZENITH DESIGN STUDIO

**Warranty:** 5 years

**Finishes:**
**12mm & 24mm Sonic Board:**
Zenith select range or other PET on request
*Note*: Curve screen only available with 12mm Sonic Board or PET

**Autex:**
Cube Acoustic Panel available in 12 mm and 24 mm thicknesses.
*Note*: Curve Screen is compatible with 12 mm Cube Acoustic Panel only.

**Woven Image EchoPanel**
EchoPanel available in 12mm and 24mm thicknesses in the Plain range.
*Note*: Curve Screen is compatible with 12 mm EchoPanel only.

Printed Patterns: Available in 12 mm and 24 mm thicknesses for all applications except Curve Screen.

**Brackets:**
Powder coated

**Sonic Board with Black Satin Bracket:**

Light Grey ZPET_004 | Ash ZPET_007 | Olive ZPET_010 | Shadow ZPET_011

**Sonic Board with White Satin Bracket:**

Cloud ZPET_012

Note: Other bracket powder coat colours avaliable on request

## Worktop Screw-fixed

- Compatible with 18mm, 25mm and 33mm worktops
- Refer to Screen compatability Matrix Document
- (screen width = 600 – 900mm to match worktop depth)

## Dimensions

### STANDARD



**Classic Shape**
Width Range: 500-2000mm
Screen Actual Height: 205-800mm (depending on worktop thickness)

Screen Height Above Desk:
Min: 50mm
Max: 480mm

Screen Height Below Desk:
Min: 130mm



**Sweep Shape**
Width Range: 500-2000mm
Screen Actual Height: 205-800mm (depending on worktop thickness)

Screen Height Above Desk:
Min: 50mm
Max: 480mm

Screen Height Below Desk:
Min: 130mm

### ELEVATED



**Classic Shape**
Width Range: 500-2000mm
Screen Actual Height: max 505mm
Worktop rear corner radius: R50

Screen Height Above Desk:
Min: 150mm
Max: 480mm



**Sweep Shape**
Width Range: 500-2000mm
Screen Actual Height: max 505mm
Worktop rear corner radius: R50

Screen Height Above Desk:
Min: 150mm
Max: 480mm

## Worktop Screw-fixed

- Compatible with 18mm, 25mm & 33mm worktops
- Classic Shape only
- Refer to Screen compatability Matrix Document

## Dimensions



**Curve**
Worktop Length Range: 800-2400mm
*Return Length: 300-800mm
Screen Actual Height: 198mm min (depends on worktop thickness) – 800mm max
Worktop rear corner radius: R50

Screen Height Above Desk:
Min: 50mm
Max: 480mm

Screen Height Below Desk:
Min: 130mm



**Curve RH**
Worktop Length Range: 800-2400mm
*Return Length: 300-800mm
Screen Actual Height: 198mm min (depends on worktop thickness) – 800mm max
Worktop rear corner radius: R50

Screen Height Above Desk:
Min: 50mm
Max: 480mm

Screen Height Below Desk:
Min: 130mm



**Curve LH**
Worktop Length Range: 800-2400mm
*Return Length: 300-800mm
Screen Actual Height: 198mm min (depends on worktop thickness) – 800mm max
Worktop rear corner radius: R50

Screen Height Above Desk:
Min: 50mm
Max: 480mm

Screen Height Below Desk:
Min: 130mm

*Note: Overall screen length limited by substrate

## Worktop Clamp-on

- Compatible with 18mm and 25mm worktops
- Refer to Screen compatability Matrix Document

## Dimensions



**Classic Shape**
Width Range: 500-2000mm
Screen Actual Height: 198-800mm (depending on worktop thickness)

Screen Height Above Desk:
Min: 50mm
Max: 480mm

Screen Height Below Desk:
Min: 130mm



**Sweep Shape**
Width Range: 500-2000mm
Screen Actual Height: 198-800mm (depending on worktop thickness)

Screen Height Above Desk:
Min: 50mm
Max: 480mm

Screen Height Below Desk:
Min: 130mm

## Frame Mounted Spine

- Compatible with Classic Shape only
- Screen gap is fixed at 30mm
- Screen width must equal length of workstation
- Post is round for workstations with round legs
- Post is square for workstations with rectangular legs

## Dimensions



**Spine**
Width Range: 1200 -2000mm
Screen Overall Height: 900-1250

Screen above floor Height:
Fixed: 600mm