Zenith

ALTER Beam







Features:
Designed for high traffic public and institutional spaces, Alter Beam extends the refined language of the Alter collection into a modular beam system that balances durability, comfort and visual softness. Individual seating geometry, configurable elements and integrated functionality come together to create purposeful seating that works hard, without ever feeling utilitarian.

Design: SCOTT FITZSIMONS

Certifications: GECA, Greenguard and Greenguard Gold

Warranty: 7 years

Options:
- Arms
- Power integration
- Table
- Floor mounting
- Flanged or twin stitched edge

Materials:
Seat: Foam and Fabric
Frame/leg: Steel
Table Top: Laminate


Finishes:
Seat:
- Upholstered in Zenith Select Fabrics and leathers, COM or COL. Refer to Zenith Select Fabric specification on website

Frame/Leg/Arms/Power rail:
- Available in Black powder coat
- All other Zenith select fine texture powder coat finishes available on a longer lead time.
  Refer to Zenith Select powder coat specification on website

Table Top:
- 25mm Natural oak or Black oak Laminate

MANUFACTURED IN
Australia


Dimensions




2 Seat Lounge
OW 1230mm
OD 675mm
SH 450mm
SD 480mm
OH 875mm




3 Seat Lounge
OW 1845mm
OD 675mm
SH 450mm
SD 480mm
OH 875mm



4 Seat Lounge
OW 2460mm
OD 675mm
SH 450mm
SD 480mm
OH 875mm



5 Seat Lounge
OW 3075mm
OD 675mm
SH 450mm
SD 480mm
OH 875mm




6 Seat Lounge
OW 3690mm
OD 675mm
SH 450mm
SD 480mm
OH 875mm


Dimensions




Concave 60
OW 1690mm
OD 800mm
SH 450mm
SD 480mm
OH 875mm
Internal Radius: 1100mm




Concave 120
OW 3000mm
OD 1200mm
SH 450mm
SD 480mm
OH 875mm
Internal Radius: 1100mm




Concave 180
OW 3540mm
OD 1770mm
SH 450mm
SD 480mm
OH 875mm
Internal Radius: 1100mm




Concave 240
OW 3540mm
OD 2615mm
SH 450mm
SD 480mm
OH 875mm
Internal Radius: 1100mm




Convex 60
OW 2600mm
OD 900mm
SH 450mm
SD 480mm
OH 875mm
External Radius: 2635mm



Convex 120
OW 4530mm
OD 1615mm
SH 450mm
SD 480mm
OH 875mm
External Radius: 2635mm




Convex 180
OW 5280mm
OD 2640mm
SH 450mm
SD 480mm
OH 875mm
External Radius: 2635mm




Convex 240
OW 5280mm
OD 3935mm
SH 450mm
SD 480mm
OH 875mm
External Radius: 2635mm


Dimensions




2 Seat Bench
OW 1230mm
OD 675mm
SH 450mm
SD 590mm




3 Seat Bench
OW 1845mm
OD 675mm
SH 450mm
SD 590mm



4 Seat Bench
OW 2460mm
OD 675mm
SH 450mm
SD 590mm




5 Seat Bench
OW 3075mm
OD 675mm
SH 450mm
SD 590mm




6 Seat Bench
OW 3690mm
OD 675mm
SH 450mm
SD 590mm


Dimensions




4 Seat
Back to Back
OW 1230mm
OD 1540mm
SH 450mm
SD 590mm
OH 875mm




6 Seat
Back to Back
OW 1845mm
OD 1540mm
SH 450mm
SD 590mm
OH 875mm



8 Seat
Back to Back
OW 2460mm
OD 1540mm
SH 450mm
SD 590mm
OH 875mm




10 Seat
Back to Back
OW 3075mm
OD 1540mm
SH 450mm
SD 590mm
OH 875mm




12 Seat
Back to Back
OW 3690mm
OD 1540mm
SH 450mm
SD 590mm
OH 875mm


Dimensions




Curved 60
Back to Back
OW 2600mm
OD 1670mm
SH 450mm
SD 480mm
OH 875mm
External Radius: 2635mm



Curved 120
Back to Back
OW 4530mm
OD 2080mm
SH 450mm
SD 480mm
OH 875mm
External Radius: 2635mm




Curved 180
Back to Back
OW 5280mm
OD 2640mm
SH 450mm
SD 480mm
OH 875mm
External Radius: 2635mm




Curved 240
Back to Back
OW 5280mm
OD 3935mm
SH 450mm
SD 480mm
OH 875mm
External Radius: 2635mm


Configurations




Configuration A
OW 1910mm
OD 1910mm
OH 875mm
SD 480mm
SH 450mm
Table Height: 375mm




Configuration B
OW 3100mm
OD 785mm
OH 875mm
SD 480mm
SH 450mm
Table Height: 375mm



Configuration C
OW 3100mm
OD 675mm
OH 875mm
SD 480mm
SH 450mm
Table Height: 375mm



Configuration D
OW 2915mm
OD 1205mm
OH 875mm
SD 480mm
SH 450mm
Table Height: 375mm



Configuration E
OW 3540mm
OD 2610mm
OH 875mm
SD 480mm
SH 450mm
Table Height: 375mm

Internal Radius: 1100mm
External Radius: 2635mm

Note: Suggested configurations